



Virtual University

About Us

CS502
Solved Final Term Paper 2

Waqar.siddhu@gmail.com

Year
2017

For More Plz Visit

WWW.VirtualAcademyLive.com

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

In the Name of Allāh, the Most Gracious, the Most Merciful


Paper Pattern

MCQS 40 each 1 mark
Short 4 each 2 marks
Short 4 each 3 marks
long 4 each 5 marks

Question No : 1 of 52

Marks: 1 (Budgeted Time 1 Min)

Consider the following Huffman Tree



Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ 10 00 010

correct

☐ 011 00 010

☐ 10 00 110

☐ 11 10 110

Made by: Waqar Siddhu

Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

Total running time of BFS is

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ $O(V + E)$

correct

☐ $O(V - E)$


☐ $O(VE)$

☐ None of these

Made by: Waqar Siddhu

Question No : 1 of 52

Marks: 1 (Budgeted Time 1 Min)



The binary code for the string "TEA" is

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

10 00 010

correct☐

011 00 010

☐

10 00 110

☐

11 10 110

Made by: Waqar Siddhu

Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

Total running time of BFS is

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ $O(V + E)$ correct☐ $O(V - E)$ ☐ $O(VE)$ ☐

None of these

Made by: Waqar Siddhu

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)

Using ASCII standard the string "abacdaacac" will be encoded with _____ bits.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

80

correct☐

160

☐

320

☐

100

Made by: Waqar Siddhu

Question No : 4 of 52

Marks: 1 (Budgeted Time 1 Min)

Consider the string "abacdaacac" if the string is coded with ASCII codes using Huffman encoding scheme, the message length would be

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ 8 bits☐ 80 bitscorrect☐ Less than 50 bits☐ More than 50 bits

Made by: Waqar Siddhu

Question No : 5 of 52

Marks: 1 (Budgeted Time 1 Min)

What is the asymptotic growth of $\frac{4n^3 + 15n^2 + 11n}{6}$?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ $\Theta\left(\frac{4n^3 + 15n^2 + 11n}{6}\right)$ ☐ $\Theta(4n^3 + 15n^2 + 11n)$ ☐ $\Theta(15n^2)$ correct☐ $\Theta(n^3)$

Made by: Waqar Siddhu

Question No : 6 of 52

Marks: 1 (Budgeted Time 1 Min)

The reason for introducing Sieve Technique algorithm is that it illustrates a very important special case of,

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ divide-and-conquercorrect☐ decrease and conquer☐ greedy nature☐ 2-dimension Maxima

Made by: Waqar Siddhu

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

Sieve Technique applies to problems where we are interested in finding a single item from a larger set of _____

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ n items

correct

☐ phases

☐ pointers

☐ constant

Made by: Waqar Siddhu

Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

A *heap* is a left-complete binary tree that conforms to the _____

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ (log n) order

☐ increasing order only

☐ decreasing order only

☐ heap order

correct

Made by: Waqar Siddhu

Question No : 9 of 52

Marks: 1 (Budgeted Time 1 Min)

What is common between Bubble sort, Insertion sort, Selection sort, Quick sort, and Heap sort?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ All are in-place algorithms

correct

☐ All are stable algorithms

☐ None of these

☐ All are unstable algorithms

Made by: Waqar Siddhu

Question No : 10 of 52

Marks: 1 (Budgeted Time 1 Min)

In in-place sorting algorithm is one that uses no _____ arrays for storage.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

- ☐ two dimensional
- ☐ three dimensional
- ☐ n dimensional
- ☐ additional

correct

Made by: Waqar Siddhu

Question No : 11 of 52

Marks: 1 (Budgeted Time 1 Min)

The main shortcoming of counting sort is that it is useful for

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

- ☐ Small Integers
- ☐ Small characters
- ☐ Floats
- ☐ None of these

correct

Made by: Waqar Siddhu

Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

The original recursive algorithm takes $\Theta(\Phi^n)$ time, where

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

- ☐ $\Phi = 1.618$
- ☐ $\Phi = 3.142$
- ☐ $\Phi = 1.816$
- ☐ $\Phi = 1.168$

correct

Made by: Waqar Siddhu

Question No : 13 of 52

Marks: 1 (Budgeted Time 1 Min)

Maximum number of edges in a Directed Graph may be

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

V

☐

2V

☐

Approximatly $[V^2]$

correct

☐

$V/2$

Made by: Waqar Siddhu

Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

The Huffman algorithm finds

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

sometime optimal some time non optimal solution

☐

space wise optimal and time wise non optimal solution

☐

a non-optimal solution

☐

an optimal solution

correct

Made by: Waqar Siddhu

Question No : 15 of 52

Marks: 1 (Budgeted Time 1 Min)

The Huffman codes provide a method of encoding data which

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

is efficient and use a variable length codes

☐

is efficient and use fixed length codes i.e. ASCII

correct

☐

is efficient and both ways of variable and fixed length codes can be used

☐

is efficient time wise but not space wise

Made by: Waqar Siddhu

Question No : 16 of 52

Marks: 1 (Budgeted Time 1 Min)

Using ASCII standard the string "abacdaacac" will be encoded with _____ bytes.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ 10

☐ 16

☐ 32

☐ 8

correct

Made by: Waqar Siddhu

Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

In fractional knapsack we sort the

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Value per unit weight in decreasing order

☐ Weight per unit value in decreasing order

☐ Value per unit weight in increasing order

☐ Weight per unit value in increasing order

correct

Made by: Waqar Siddhu

Question No : 18 of 52

Marks: 1 (Budgeted Time 1 Min)

The greedy part of the Huffman encoding algorithm is to first find two nodes with _____ frequency.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Larger

☐ Smallest

☐ Balance

☐ Character

correct

100

Made by: Waqar Siddhu

Question No : 19 of 52

Marks: 1 (Budgeted Time 1 Min)

In directed graphs the cardinality of edges $|E| =$

no idea

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

Sum of out-degrees of all the vertices

☐

Sum of in-degrees of all the vertices

☐

First both are true

☐

There is no relation between degree of vertices and no of edges

Made by: Waqar Siddhu

Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

The codeword assigned to characters by the Huffman algorithm have the property

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

that no codeword is the prefix of any other

correct

☐

that no codeword is the postfix of any other

☐

that no codeword is the infix of any other

☐

that no codeword is neither prefix nor postfix of any other

Made by: Waqar Siddhu

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

In undirected graphs there

For undirected graphs, there is no distinction between forward and back edges. By convention they are all called back edges. Furthermore, there are no cross edges (can you see why not?)

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

are no Cross edges but have forward and back edges

☐

are only forward edges

☐

is convention of only back edges

correct

☐

is convention of forward edges

Made by: Waqar Siddhu

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

In time stamp traversal we can calculate

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ whether the graph has Cycles

correct

130 pag

☐ total number of cycles on the bases of forward edges

☐ total number of cycles on the bases if back edges

☐ total no of paths of certain length

Made by: Waqar Siddhu

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

In time stamp DFS for the edge (u,v) if $f(u) > f(v)$ then

If this edge is a tree, forward or cross edge, then $f(u) > f(v)$.

130 page

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ the edge is cross

☐ the edge is back

☐ the edge is forward

☐ the edge is tree or cross or forward

correct

Made by: Waqar Siddhu

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

Precedence constraint graph is

131 page

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ non acyclic directed graph

☐ acyclic undirected graph

☐ non acyclic undirected graph

☐ acyclic directed graph

correct

Made by: Waqar Siddhu

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

In Prim's algorithm, the additional information maintained by the algorithm is

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ the length of the shortest path from vertex v to the vertex u

correct

not sure

☐ the length of the shortest edge from vertex v to points already in the tree

☐ the dynamic programming rules

☐ the information about all adjacent vertices

Made by: Waqar Siddhu

Question No : 26 of 52

Marks: 1 (Budgeted Time 1 Min)

In strongly connected components the component digraph is

136 page

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ necessarily cyclic

correct

☐ necessarily acyclic

☐ not necessary it can be both cyclic and acyclic

☐ cyclic with some other constraints

Made by: Waqar Siddhu

Question No : 27 of 52

Marks: 1 (Budgeted Time 1 Min)

Floyd-Warshall algorithm is

161

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ based on greedy approach and allow negative edges

☐ based on divide and conquer approach and allow negative edges

☐ based on dynamic programming approach and allow negative cycles

☐ based on dynamic programming approach and allow negative edges

correct

Made by: Waqar Siddhu

Question No : 28 of 52

Marks: 1 (Budgeted Time 1 Min)

Dijkstra's algorithm is used for

154 page

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

- ☐ calculating multiple source shortest path problems
- ☐ calculating Minimum spanning tree
- ☐ shortest and Minimum Spanning tree both can be calculated by it
- ☐ single source shortest path problems

correct

Made by: Waqar Siddhu

Question No : 29 of 52

Marks: 1 (Budgeted Time 1 Min)

Kruskal's Algorithm has time complexity

149 page

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

- ☐ overall $O(V \log E)$
- ☐ overall $O(E \log V)$ for sparse graph $O(V \log E)$
- ☐ overall $O(E \log E)$ and for sparse graph $O(E \log V)$
- ☐ overall $O(EV)$ and for sparse graph $O(V^2)$

correct

Made by: Waqar Siddhu

Question No : 30 of 52

Marks: 1 (Budgeted Time 1 Min)

Bellman Ford algorithm applies relaxation to every

159 page

Bellman-Ford applies relaxation to every edge of the graph and repeats this $V - 1$ times.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

- ☐ edge of the graph and repeats exactly $v-1$ times
- ☐ vertex of the graph and repeats exactly $E-1$ times
- ☐ edge of the graph and repeats exactly $E-1$ times
- ☐ edge but use the back edges for the completion

correct

Made by: Waqar Siddhu

Question No : 31 of 52

Marks: 1 (Budgeted Time 1 Min)

In NP-problems "NP" represents

The term "NP" does not mean "not polynomial". Originally, the term meant "non-deterministic polynomial"

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Non-deterministic Polynomialscorrect☐ Null-polynomials☐ Negative Polynomials☐ Non-polynomials

Made by: Waqar Siddhu

Question No : 32 of 52

Marks: 1 (Budgeted Time 1 Min)

The recurrence represented by $T(n) = \sum_{i=0}^n 2 + \sum_{i=0}^n i/2$ has time complexity belongs tono idea

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ P-Class☐ NP-Class☐ Co-NP Class☐ Unpredictable class

Made by: Waqar Siddhu

Question No : 33 of 52

Marks: 1 (Budgeted Time 1 Min)

The function having complexity $O(n^n)$ belongs to

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ NP-Classcorrectnot sure☐ Co-Prime Class☐ P-Class☐ Both P and NP Classes

Made by: Waqar Siddhu

Question No : 34 of 52

Marks: 1 (Budgeted Time 1 Min)

3-color problem is known as _____

137

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

P

☐

NPC

correct

☐

Co-NP

☐

P and NP

Made by: Waqar Siddhu

Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

Generalize Coloring problem arises in various partitioning problems where there is a constraint

173

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

that two objects can not be assigned to the same set of partitions and is belong to NP class

correct

☐

that two objects can not be assigned to the same set of partitions and is belong to P class

☐

of that we can organize the different partitions in P time and NP space

☐

of colors does not effect the classifications

Made by: Waqar Siddhu

Question No : 36 of 52

Marks: 1 (Budgeted Time 1 Min)

In the 3-coloring problem, for two vertices to be in the same group, they must be not _____ to each other.

176 page

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

Apart from

☐

Far from

☐

Near to

☐

Adjacent to

correct

Made by: Waqar Siddhu

Question No : 37 of 52

Marks: 1 (Budgeted Time 1 Min)

Sieve Technique can be applied to solve _____

35 page

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Selection problems

correct

☐ Argument problems

☐ Dynamic problems

☐ Greedy problems

Made by: Waqar Siddhu

Question No : 38 of 52

Marks: 1 (Budgeted Time 1 Min)

If an algorithm has a complexity of $5n + \log_2(\log_2 n) + 10$ for some model of computation (some set of assumptions) and some complexity measures (such as number of comparison operations) we could say that it has complexity

no idea

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ $O(\log_2 n)$

☐ $O(n)$

☐ $O(3 + 1 + 3)$

☐ $O(\log_2(\log_2 n))$

Made by: Waqar Siddhu

Question No : 39 of 52

Marks: 1 (Budgeted Time 1 Min)

Search techniques of various algorithms look at _____

97 page

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Many possible solutions

correct

☐ Maximum 2 possible solutions

☐ Minimum 2 possible solutions

☐ Sorting solutions

Made by: Waqar Siddhu

Question No : 40 of 52

Marks: 1 (Budgeted Time 1 Min)

Usually which type of algorithm is harder to prove the correctness?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Dynamic programming

☐ Brute Force

correct

solve by comen fact.....not in the book

☐ Greedy

☐ Divide and conquer

Made by: Waqar Siddhu

Question No : 41 of 52

Marks: 2 (Budgeted Time 4 Min)

How we Heapify?

Answer (Please click here to Add Answer)

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 42 of 52

Marks: 2 (Budgeted Time 4 Min)

Define Back Edge

Answer (Please click here to Add Answer)

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 43 of 52

Marks: 2 (Budgeted Time 4 Min)

Given an adjacency list for G , what is the time complexity to compute G^T ?

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 44 of 52

Marks: 2 (Budgeted Time 4 Min)

What is Bellman-Ford algorithm's running time?

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

Given a digraph $G = (V, E)$, consider any DFS forest of G and consider any edge $(u, v) \in E$. Prove that If this edge is a tree, forward or cross edge, then $f[u] > f[v]$ and if this edge is a back edge, then $f[u] \leq f[v]$.

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 46 of 52

Marks: 3 (Budgeted Time 6 Min)

How the Dijkstra's algorithm works?

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

Modify QUICKSORT algorithm such that it sorts array into non-increasing order.

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu


Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

What do you mean by polynomial time algorithm? Explain what kind of problem can be solved by using polynomial time algorithm?

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

You are given the task of laying down new railway lines which will connect all n cities. Thus for any pair of cities, you will end up with track connecting them. Note that two routes may share the same track; track laid between Lahore and Islamabad can be used to travel in both directions. Your goal is to use the minimum amount of track. How would you achieve the goal now? (Note : consider the scenario carefully and name only the best suited algorithm)

- 1 Dijkstra's algorithm
- 2 Prim's Algorithm
- 3 Followed Warshal Algorithm

Answer (Please [click here](#) to Add Answer)

WWW.VirtualAcademyLive.com

Made by: Waqar Siddhu

Made by: Waqar Siddhu

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

Considering the recursive version of depth-first traversal implementing Timestamp Structure in pseudo code format, only write DFSVISIT routine in pseudo code format

Answer (Please [click here](#) to Add Answer)

WWW.VirtualAcademyLive.com



The screenshot shows a Microsoft Word document with a light blue grid background. A diagonal watermark reading "Waqar Siddhu" is visible across the page. In the bottom right corner, the text "Made by: Waqar Siddhu" is written in a stylized, cursive font. The Word ribbon is visible at the top, showing the "Home" tab with options for font, paragraph, and styles. The status bar at the bottom indicates the document is 1 page long and 100% zoomed.

Made by: Waqar Siddhu

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

Considering the recursive version of depth-first traversal implementing Timestamp Structure in pseudo code format, only write DFSVISIT routine in pseudo code format

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com

Made by: Waqar Siddhu

Made by: Waqar Siddhu

Question No : 51 of 52

Marks: 5 (Budgeted Time 10 Min)

Develop the running time complexity analysis for the following piece of code. Adopt step wise approach along with asymptotic notation at the end.

```
i=1
while (i < n) {
    i++
}
for ( i=1; i <= n ; i=i*2 )
```

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 51 of 52

Marks: 5 (Budgeted Time 10 Min)

Develop the running time complexity analysis for the following piece of code. Adopt step wise approach along with asymptotic notation at the end.

```
i=1
while (i < n) {
    i++
}
for ( i=1; i <= n ; i=i*2 )
for ( j = 1; j <= i; ++j )
```

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

Question No : 52 of 52

Marks: 5 (Budgeted Time 10 Min)

Write pseudo code for Kruskal's algorithm.

Answer ([Please click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu

track; track laid between Lahore and Islamabad can be used to travel in both directions. Your goal is to use the minimum amount of track. How would you achieve the goal now? (Note : consider the scenario carefully and name only the best suited algorithm)

- 1 Dijkstra's algorithm
- 2 Prims Algorithm
- 3 Folloyed Warshal Algorithm
- 4 Bellman Ford Algorithm.

Answer (Please [click here to Add Answer](#))

WWW.VirtualAcademyLive.com



Made by: Waqar Siddhu